



Product Datasheet

04 Recessed Spots Adjustable LED>The COB Shop & Hotel Range

51112E/W/C



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.

















Downloads










Dimensions



Gallery





Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Shop & Hotel Range
Order Code	51112E/W/C
Colour	White
Material	Die Cast
Shape	Rectangular
Length	100mm
Width	100mm
Height	80mm
Cutout Hole Width	90mm
Cutout Hole Length	90mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current

anut Current		700m A

Input Current	700mA
Safety Class	

Safety Class	
Power(Watts)	12W


IP Rating	IP20

Light Source	LED built in
LED Type	СОВ
LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data	
Colour Temperature	4000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	10,5cm
Box Width	10,5cm
Box Height	10,5cm
Box Weight	0,322Kg
Pcs/Carton	50
Barcode	5291889047346
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



