



Product Datasheet


23 LED Drivers>The 700mA TRIAC Dimmable Range Constant current

89015AT



Constant current dimmable LED driver for 700mA LED spots / LED fittings, 7-15W.

Complies with standard EN61347-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	23 LED Drivers
Family	The 700mA TRIAC Dimmable Range Constant current
Order Code	89015AT
Material	Plastic
Shape	Rectangular
Length	133mm
Width	42mm
Height	30mm
Indoor	Yes

Electrical Characteristics

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7-15W
Power Factor	0,9
Constant Current	Yes
700mA	10-21,5V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Triac
Ambient Temp	40°C
Operating Temp	85°C
Housing Material	Plastic
Output Terminal	Cable
Cable Length	15cm
Fast Connector	Yes
Fast Connector Type	One Light 700
Manufacturer	One Light Ltd
Protection	Short Circuit / Overload / Overheat Protection
Packing Info	
Box Length	12,5cm
Box Width	5cm
Box Height	2,5cm
Box Weight	0,082kg
Pcs/Carton	200
Barcode	5291889035039

Certification & Warranty

Average Lifetime	50000hours
Weee Directive	Yes

switch to one light!

